

Applies to Mt Carmel Service Area

COMMERCIAL ELECTRIC SPACE HEATING SERVICE

AVAILABILITY

Available upon application for any commercial customer who is normally served under Company's Commercial Electric Service Schedule who has permanently installed and is using a heat pump or resistance heating as the primary source of space heating in that section of the customer's premises where it is used and the space so heated is adequately separated from spaces heated by other than electric heating.

NET RATE PER MONTH

* 7.0201¢ per kilowatt hour for all kilowatt hours used each month.

The above rate applies to all kilowatt hours used each month through the separate meter, hereinafter specified, during the monthly billing period ending in October of each year and the following seven consecutive monthly billing periods. The Customer's use in the remaining monthly billing periods shall be combined with the monthly use of the Customer for lighting and power service for billing purposes.

CUSTOMER CHARGE

* The heating season monthly customer charge shall be \$50.00.

TERMS OF PAYMENT

Accounts not paid within 14 days of the date of the postmark of the bill shall be considered delinquent.

TERMS AND CONDITIONS

- (1) Service will be furnished under Company's Standard Rules, Regulations and conditions of Service and the following further conditions.
- (2) All resistance units, to be served under the provisions of this rate, totaling in excess of 6 kilowatts operated by a single control must be approved by the Company.
- (3) Service will be supplied through a separate circuit, furnished by customer, to which no apparatus other than equipment designated in the provisions of this rate may be connected and will be measured through a meter furnished and owned by the Company.
- (4) When all water heating and cooking is furnished by electrical equipment for the area heated electrically, such equipment, subject to the provisions of this rate, may be connected to the space heating circuit. Space cooling equipment which provides cooling in such areas heated electrically, subject to the provisions of this rate, may also be connected to the space heating circuit.

RECEIVED
NOV 09 2022

ILLINOIS COMMERCE COMMISSION
CHIEF CLERK'S OFFICE

Filed pursuant to an Order issued by the Commission in Docket 22-0038

Issued November 9, 2022
Issued by David James

Effective December 1, 2022
President